L Number	Hits	Search Text	DB	Time stamp
1	0	(request\$5 or receiv\$5 or sent or send or	USPAT	2004/07/23 17:48
		transfer\$5 or transmit\$5) adj key adj		
		encrypt\$6 adj key		
2	0	(request\$5 or receiv\$5 or sent or send or	USPAT	2004/07/23 17:51
		transfer\$5 or transmit\$5) adj key adj		
		(encrypt\$6 or enciph\$6 or encod\$7 or		
		decryp\$7 or deciph\$6 or decod\$7) adj key		
3	0	(USPAT;	2004/07/23 17:52
		transfer\$5 or transmit\$5) adj key adj	US-PGPUB;	
		(encrypt\$6 or enciph\$6 or encod\$7 or	EPO; JPO;	
		decryp\$7 or deciph\$6 or decod\$7) adj key	DERWENT;	
4			IBM_TDB	0001105100
4	829		USPAT;	2004/07/23 17:53
		transfer\$5 or transmit\$5) same key adj	US-PGPUB;	
	į	(encrypt\$6 or enciph\$6 or encod\$7 or	EPO; JPO; DERWENT;	
		decryp\$7 or deciph\$6 or decod\$7) adj key	IBM TDB	
5	221	((request\$5 or receiv\$5 or sent or send or	USPAT;	2004/07/23 17:53
3	221	transfer\$5 or transmit\$5) same key adj	US-PGPUB;	2004/07/23 17:33
		(encrypt\$6 or enciph\$6 or encod\$7 or	EPO; JPO;	,
		decryp\$7 or deciph\$6 or decod\$7) adj key)	DERWENT;	
		and 380/\$.ccls. and @ay<2000	IBM TDB	
6	30901	(((request\$5 or receiv\$5 or sent or send	USPAT;	2004/07/23 17:53
		or transfer\$5 or transmit\$5) same key adj	US-PGPUB;	2311, 11, 23 17, 33
	!	(encrypt\$6 or enciph\$6 or encod\$7 or	EPO; JPO;	
		decryp\$7 or deciph\$6 or decod\$7) adj key)	DERWENT;	
		and 380/\$.ccls. and @ay<2000) and	IBM TDB	
:	:	accounting or billing	_	
7	33	(((request\$5 or receiv\$5 or sent or send	USPAT;	2004/07/23 18:23
		or transfer\$5 or transmit\$5) same key adj	US-PGPUB;	
		(encrypt\$6 or enciph\$6 or encod\$7 or	EPO; JPO;	
		decryp\$7 or deciph\$6 or decod\$7) adj key)	DERWENT;	
		and 380/\$.ccls. and @ay<2000) and	IBM_TDB	
•		(accounting or billing)		
8	0	6354494.pn. and request	USPAT;	2004/07/23 18:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
9	2	6354494.pn. and (request\$6 or transmi\$8 or	USPAT;	2004/07/23 18:29
,	_	receiv\$6 or sent or send or deliver\$7 or	US-PGPUB;	2004/07/23 10.23
		generat\$6)	EPO; JPO;	
		3	DERWENT;	
			IBM TDB	
10	0	6354494.pn. and different adj security adj	USPĀT;	2004/07/23 18:30
		level\$1	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
11	0	6354494.pn. and (different adj security)	USPAT;	2004/07/23 18:47
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
12	1	6354494 pp and different and accomits	IBM_TDB	2004/07/23 18:49
14	1	6354494.pn. and different and security	USPAT;	2004/07/23 18:49
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
13	2	6567913.pn. and security adj level	USPAT;	2004/07/23 18:52
			US-PGPUB;	-301, 51, 20 10.02
			EPO; JPO;	
			DERWENT;	
		1	IBM TDB	
			TOU TOU	
14	0	amount with encrypt\$6 with different with	USPAT;	2004/07/23 18:53
14	0	amount with encrypt\$6 with different with security with level	USPĀT; US-PGPUB;	2004/07/23 18:53
14	0	amount with encrypt\$6 with different with security with level	USPAT; US-PGPUB; EPO; JPO;	2004/07/23 18:53
14	0	amount with encrypt\$6 with different with security with level	USPĀT; US-PGPUB;	2004/07/23 18:53

15	0	value with encrypt\$6 with different with	USPAT;	2004/07/23 18:53
		security with level	US-PGPUB;	1
			EPO; JPO;	1
			DERWENT;	
			IBM TDB	
16	0	salary with encrypt\$6 with different with	USPAT;	2004/07/23 18:53
		security with level	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
17	2	salary with encrypt\$6	USPAT;	2004/07/23 18:54
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	

Page 2

			T	1
-	99	("6314391"	USPAT	2004/07/02 14:01
1	1	"5475757"		
1	t j	"5878135" "5878135"		
1	!	"5933500" "6003605"		
1	t j	"6002605" "6016349"	1	
1	t j	"6016348" "6137710"		
	1	"6137710" "4907275"		
1	!	"4907275" "5710813"		
1	t i	"5710813" "5757909"		
1	1)	"5757909" "5764773"		
1	1	"5764773" "5784462"		
	1)	"5953416"		
	l j	"5953416" "6031815"		
1	1	"6031815" "6195177"		
1	1)	"61951//" "6256390"		
1	ı 1	"6256390" "6477649"		
1	ı 1	"647/649" "6490685"		
1	ı i	"6490685" "6647495"		
1	ı i	"6647495" "5784609"	1	
1	1 1	"5784609" "5848162"		
1	1 l	"5848162" "6333684"		
1	1	"6333684" "6393268"		
1	1	"6393268" "6125183"		
1	l 1	"6125183" "4283599"		
1	1 1	"4283599" "4315101"		
1	1 1	"4315101" "5321749"		
	1 1	"5321749" "5398283"		
1	Į l	"5398283" "5848161"		1
1	\	"5848161" "6185316"		1
1	<u>(</u>	"6185316" "4306111"		
1	ļ i	"4306111" "5717760"		1
1	()	"5/1//60" "6018582"		
1	ļ i	"6018582" "6076162"	}	1
1	("6076162" "6219422"		1
1	()	"6219422" "6219422"		1
1	("6219422" "4288659"		
1	ļ i	"4288659" "4337483"		
1	ļ ,	"4337483" "4600942"		
1	("4600942" "4805216"		
1	ļ ,	"4805216" "4864494"		
1	ļ ,	"4864494" "4926478"		1
1	ļ ,	"4926478" "4969190"		
1	ļ .	"4969190" "5185796"		
1	ļ .	"5185796" "5204900"		
1	1 1	"5204900" "5204903"		1
1	1	"5204903" "5227613"		
1	1	"5227613" "5243652"		
1	()	"5243652" "5285496"		
1	ţ i			
1	1	"5337358").pn. ("5345505"		1
1	1	("5345505" "5388157"		•
1	1	"5388157" "5388158"		
1	()	"5388158" "5392353"		1
1	l i	"5392353" "5420924"		
	1	"5420924" "5477263"		
1	ļ ,	"54//263" "5591949"		
1	į i	"5591949" "5594492"		1
1	("5594492" "5613005"		
1	1	"5613005" "5675648"		
1	ļ .	"5675648" "5724423"		
1	("5724423" "5764767"		
1	ļ ,	"5764767" "5774548"		1
	<u>(</u>	"5774548" "5796839"		
1	ļ .	"5/96839" "5864622"		
	t 1	"5864622" "5864491"		
1	t i	"5864491" "5915023"		
	l 1	"5915023" "5966449"		
	ļ .	"5966449" "5995553"		
	ţ	"599553" "6014444"		
1	l 1	"6014444" "6023762"		
	()	"6023762" "6039248"		
	<u> </u>			
Search His	tory 7	"6081784" 2304 04 6:56:45 PM Page 3		1
	ST\Worksna	1069/09形列1683 . wsp		1
,	-====================================	"6181795"		
1 1	l i	1	1	1

.

-	432	380/281,284,270.ccls.	USPAT	2004/07/02 14:03
-	179	380/278.ccls.	USPAT	2004/07/02 14:04
-	585	380/281,284,270.ccls. or 380/278.ccls.	USPAT	2004/07/02 14:04
-	26	380/281,284,270.ccls. and 380/278.ccls.	USPAT	2004/07/02 14:08
-	54	(380/281,284,270.ccls. or 380/278.ccls.)	USPAT	2004/07/02 14:10
		and key near4 key adj encryption		, , , , , , , , , , , , , , , , , , , ,
_	31	((380/281,284,270.ccls. or 380/278.ccls.)	USPAT	2004/07/02 14:47
i		and key near4 key adj encryption) and	******	=====================================
		@ay<1998		
1_	0	(380/281,284,270.ccls. or 380/278.ccls.)	USPAT	2004/07/02 14:10
		and request\$4 near key near4 key adj	OSLAI	2004/07/02 14.10
	1 4 5	encryption		0004/07/00 14 47
-	145	713/169.ccls.	USPAT	2004/07/02 14:47
-	36	713/169.ccls. and mutual adj authentica\$7	USPAT	2004/07/02 14:57
-	24	(713/169.ccls. and mutual adj	USPAT	2004/07/02 14:58
		authentica\$7) and @ad<19980101		
_	28	(713/169.ccls. and mutual adj	USPAT	2004/07/02 14:59
		authentica\$7) and @ad<19981001		
 -	217	380/281,284,270.ccls. and encrypti\$6 adj	USPAT	2004/07/02 15:00
		key\$1	1	^
-	4181	((713/169.ccls. and mutual adj	USPAT	2004/07/02 15:00
		authentica\$7) and @ad<19981001) encrypt\$5		
1		adj key\$1		
_	16	((713/169.ccls. and mutual adj	USPAT	2004/07/02 15:07
		authentica\$7) and @ad<19981001) and		= = = = = = = = = = = =
		encrypt\$5 adj key\$1		
	145	713/169.ccls.	USPAT	2004/07/02 15:20
1_	0	profit with distribut\$4 with managment	USPAT	2004/07/02 15:20
	1277	content adj provider\$1	USPAT	2004/07/02 15:21
-	589	(content adj provider\$1) and account\$4	USPAT	2004/07/02 15:21
-				2004/07/02 15:22
-	38	((content adj provider\$1) and account\$4)	USPAT	2004/07/02 15:22
	1.0	and distribut\$5 adj key\$1	II.O.D.R.M.	0004/07/00 15 00
-	13	(((content adj provider\$1) and account\$4)	USPAT	2004/07/02 15:28
		and distribut\$5 adj key\$1) and		
		@ad<19981001		
-	0	6131162.pn. and (mutual adj authenticat\$6)	USPAT	2004/07/02 15:25
-	1	6131162.pn. and authenticat\$6	USPAT	2004/07/02 15:25
-	0	795/30,50.ccls.	USPAT	2004/07/02 15:28
-	371	705/30,50.ccls.	USPAT	2004/07/02 15:28
-	0	705/30,50.ccls. and enrypt\$5 with	USPAT	2004/07/02 15:28
		distribut\$5 with key\$1		
-	16	705/30,50.ccls. and content adj provider\$1	USPAT	2004/07/02 15:32
-	103	(content adj provider\$1) and (distribut\$5	USPAT	2004/07/02 15:33
		near5 key\$1) and regist\$6		
1 -	93	((content adj provider\$1) and (distribut\$5	USPAT	2004/07/02 15:33
		near5 key\$1) and regist\$6) and encrypt\$5		,, 10.00
1		and authenticat\$5		
1_	76	(((content adj provider\$1) and	USPAT	2004/07/02 15:34
1	, ,	(distribut\$5 near5 key\$1) and regist\$6)		=====================================
1		and encrypt\$5 and authenticat\$5) and		
		and encrypts and authenticatss; and (pric\$5 or fee)		
1_	7.		I I C D A M	2004/07/02 15:34
-	70	((content adj provider\$1) and (distribut\$5	USPAT	2004/07/02 15:34
	7.0	near5 key\$1) and regist\$6) and accounting		0004405400 15 05
-	78	((((content adj provider\$1) and	USPAT	2004/07/02 15:35
		(distribut\$5 near5 key\$1) and regist\$6)		l i
		and encrypt\$5 and authenticat\$5) and		
		(pric\$5 or fee)) or (((content adj		
		provider\$1) and account\$4) and distribut\$5		
		adj key\$1) and @ad<19981001)		
-	74		USPAT	2004/07/02 15:36
		(distribut\$5 near5 key\$1) and regist\$6)		
		and encrypt\$5 and authenticat\$5) and		
		(pric\$5 or fee)) or (((content adj		
		provider\$1) and account\$4) and distribut\$5		
		adj key\$1) and @ad<19981001)) and		
		certificat\$5		
L		1		

General Accounted General Accounted General Accounted General Accounted General Accounted General Accounted General General Accounted General					
and encrypt5s and authenticat55 and (pric55 or fee) or ((((content adj provider\$1) and account\$4) and distribut55 adj key\$1] and \$adci199510011) and certificat55) and account\$4 with	-	69	(((((content adj provider\$1) and	USPAT	2004/07/02 15:37
(pric\$5 of fee) or ((((content adj provider\$1) and account\$4) and distribut\$5 adj key\$1) and @adc19981001) and certificat\$5) and account\$4 with information (pric\$5 or fee) or (((content adj provider\$1) and regist\$6) and encrypt\$5 and auchenticat\$5) and regist\$6) and encrypt\$5 and account\$4) and regist\$6) and certificat\$5) and account\$4 with information (distribut\$5) and account\$4 with information and discount\$4 with information and discount\$4 with information and account\$4 with information and account\$4 and distribut\$5 adj key\$1] and @adc19981001) and certificat\$5) and account\$4 with information) and discount\$4 with information) and discount\$4 with information) and discount\$4 with information) and discount\$4 with information and provider\$1 and certificat\$5 and certificat\$5 and account\$4 with information and processing).ti. USPAT 2004/07/02 15:40 certificat\$5 and account\$4 with information and discount\$4 with information and discount\$4 with information and discount\$4 with information and processing).ti. USPAT 2004/07/02 15:40 certificat\$5 and account\$4 with information adj processing).ti. USPAT 2004/07/21 19:10 certificat\$5 and account\$4 with information adj processing).ti. USPAT 2004/07/21 19:12 certificat\$6 and discount\$4 with information adj processing).ti. USPAT 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 2004/07/21 2004/07/21 2004/07/21 2004/07/21 2004/07/21 2004/07			(distribut\$5 near5 key\$1) and regist\$6)		
(pric\$5 of fee) or ((((content adj provider\$1) and account\$4) and distribut\$5 adj key\$1) and @adc19981001) and certificat\$5) and account\$4 with information (pric\$5 or fee) or (((content adj provider\$1) and regist\$6) and encrypt\$5 and auchenticat\$5) and regist\$6) and encrypt\$5 and account\$4) and regist\$6) and certificat\$5) and account\$4 with information (distribut\$5) and account\$4 with information and discount\$4 with information and discount\$4 with information and account\$4 with information and account\$4 and distribut\$5 adj key\$1] and @adc19981001) and certificat\$5) and account\$4 with information) and discount\$4 with information) and discount\$4 with information) and discount\$4 with information) and discount\$4 with information and provider\$1 and certificat\$5 and certificat\$5 and account\$4 with information and processing).ti. USPAT 2004/07/02 15:40 certificat\$5 and account\$4 with information and discount\$4 with information and discount\$4 with information and discount\$4 with information and processing).ti. USPAT 2004/07/02 15:40 certificat\$5 and account\$4 with information adj processing).ti. USPAT 2004/07/21 19:10 certificat\$5 and account\$4 with information adj processing).ti. USPAT 2004/07/21 19:12 certificat\$6 and discount\$4 with information adj processing).ti. USPAT 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 2004/07/21 2004/07/21 2004/07/21 2004/07/21 2004/07/21 2004/07			and encrypt\$5 and authenticat\$5) and		
providers1] and accounts4 and distributs5 adj keys1 and dead(199810011) and certificats5) and accounts4 with information (information and providers1) and (distributs5 neat5 keys1) and regists6) and encrypt55 and authenticat55) and certificat53 and accounts4 with information and certificat53 and accounts4 with information and dead(199810011) and certificat53 and accounts4 with information and discounts4 with and distributs5 and encrypt50 and enc					
adj key\$1) and 8adx19981001)) and certificat85) and account84 with information					
Certificat55 and accounts4 with information ((((((((content adj provider\$1) and (distribut55 near5 key\$1) and regist56) and encrypt58 and authenticat55 and (pric\$5 or fee)) or ((((content adj provider\$1) and encrypt\$1) and encrypt\$1 and encrypt\$1 and encrypt\$2 and encrypt\$3 and encrypt\$4 and encrypt\$5 and encrypt\$5 and encrypt\$5 and encrypt\$5 and encrypt\$5 and encrypt\$6 and enc					
Information Gidistribut55 near5 key\$1) and regist\$6 Gidistribut55 near5 key\$1) and regist\$6 Gidistribut55 near6 key\$1) and regist\$6 Gidistribut55 near6 key\$1) and regist\$6 Gidistribut55 near6 key\$1) and descript53 and certificat53 and account54 with information and restribut55 and substribut53 and substribut53 and (fictontent adj provider51) and regist\$6 Gidistribut55 near6 key\$1] and regist				:	!
-			certificat\$5) and account\$4 with		i
(distribut5 near5 key31) and regists6 and encrypt55 and authenticat5) and (pric85 or fee)) or ((((content adj provider51)) and account84) and distribut\$5 adj key31) and 8adc(1981001)) and certificat53) and account84 with information) and discount84 and distribut\$5 and some and certificat53) and account84 with information) and discount84 and distribut\$5 and some and certificat53) and account84 with information and discount84 with information and discount84 with information and discount84 and norths5 adj key31) and 8adc(1981001) and certificat53) and account84 with information and discount84 and norths5 near4 rate ((((((((((((content adj provider51) and (pric85 or fee)) or ((((content adj provider51) and (pric85 or fee)) or ((((content adj provider51) and (pric85 or fee)) or (((((content adj provider51) and (pric85 or fee)) or (((((content adj provider51) and (pric85 or fee)) or (((((content adj provider51) and (pric85 or fee)) or ((((((content adj provider51) and (pric85 or fee)) or ((((((((((((((((((((((((((((((((((information		
(distributs near5 key\$1) and regists6 and encryptis5 and authenticat5) and (pric\$5 or fee)) or ((((content adj providers1)) and account\$4 with information) and discount\$4 with information) and discount\$4 with information and operation of the providers1) and (pric\$5 or fee)) or ((((content adj providers1)) and (pric\$5 or fee)) or (((content adj providers1)) and (pric\$5 or fee)) or (((content adj providers1)) and certificat5) and account\$4 with information and discount\$4 with information and provider\$1) and (pric\$5 or fee)) or (((content adj provider\$1)) and (pric\$5 or fee)) or (((content adj provider\$1)) and (pric\$5 or fee)) or (((content adj provider\$1)) and certificat\$5) and account\$4 with information and processing).ti. uSPAT 2004/07/02 15:40 and (pric\$5 or fee)) or ((((content adj provider\$1)) and certificat\$5) and account\$4 with information and processing).ti. uSPAT 2004/07/02 15:40 and (pric\$5 or fee) or ((((content adj provider\$1)) and certificat\$5) and account\$4 with information and processing).ti. uSPAT 2004/07/02 15:40 and 200	_	64	((((((content adi provider\$1) and	USPAT	2004/07/02 15:37
and encrypt\$5 and authenticat\$5) and (pric85 or feel) or (((content add) provider\$1) and account\$4) and distribut\$5 add key\$1) and eactificat\$5) and account\$4 with information and discount\$4 and distribut\$5 and (distribut\$5 nad except\$5 and authenticat\$5) and (distribut\$5 nad except\$5 and authenticat\$5) and (distribut\$5 nad except\$5 and authenticat\$5) and certificat\$5) and except\$5 and authenticat\$5) and certificat\$5 and except\$5 and account\$4 and nonth\$5 near4 rate USPAT 2004/07/02 15:40 USPAT					
(pric\$5 or fee)) or ((((content adj provider\$1) and account\$4 with information) and discount\$4 with information) and discount\$4 with information and discount\$4 with information and discount\$4 with information and certificat\$5) and ecount\$4 with information] and account\$4 with information] and discount\$4 with information] and account\$4 with information] and account\$4 with information] and account\$4 with information] and discount\$4 with information] and decryption adj key USPAT 2004/07/21 19:01 USPAT 2004/07/21 19:12 USPAT 2004/07/21 19:12 USPAT 2004/07/21 19:13 USPAT 2004/07/21 19:13 USPAT 2004/07/21 19:13 USPAT 2004/07/21 19:13 USPAT USPAT 2004/07/21 19:13 USPAT					
provider\$1) and account\$4 with information and discount\$4 with information and account\$4 with information and account\$4 with information and account\$4 with information and discount\$4 with information and discount\$4 with information and discount\$4 with information and processing).ti. USPAT 2004/07/02 15:40 and early [cinformation and processing].ti. USPAT 2004/07/21 19:06 and early [cinformation and processing].ti. USPAT 2004/07/21 19:06 and early [cinformation and processing].ti. USPAT 2004/07/21 19:12 2004/07/21 19:12 and [cinformation and processing].ti. USPAT 2004/07/21 19:12 and [cinformation and processing].ti. USPAT 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:26 20					
adj keysi) and @adv19981001) and certificats5) and accounts4 with information) and discounts4 (((((((((content adj provider\$1) and ((distribut\$5 near5 key\$1) and regist\$6) and encrypt\$5 and authenticat\$5) and ((pric\$5 or fee)) or ((((content adj provider\$1) and ((pric\$5 or fee)) or ((((content adj provider\$1) and ((pric\$5 or fee)) or ((((content adj provider\$1) and ((cistribut\$5 near5 key\$1) and regist\$6) and encrypt\$5 or fee)) or ((((content adj provider\$1) and ((cistribut\$5 near5 key\$1) and regist\$6) and encrypt\$5 and authenticat\$5) and ((pric\$5 or fee)) or ((((content adj provider\$1) and ((pric\$5 or fee)) or ((((content adj provider\$1) and ((information and discount\$4) and distribut\$5 adj key\$1) and @adv19981001) and certificat\$5 and account\$4 with information and processing).ti. (((information adj processing).ti.) and encryption adj key ((information adj processing).ti.) and encryption adj key ((information adj processing).ti.) and encryption adj key and decrypt\$6 request\$4 adj (decryption or decod\$5 or ((information adj processing).ti.) and encryption adj key ((information adj processing).ti.) and encryption adj key ((information adj processing).ti.) and encryption adj key and decrypt\$6 request\$4 adj (decryption or decod\$5 or (information adj key) and decrypt\$6 request\$4 adj (decryption or decod\$5 or (information adj key) (information					
Ceittficat\$\$) and account\$4 with information and discount\$4 (((((((content adj provider\$1) and (distribut\$5 near5 key\$1) and regist\$6) and encrypt\$5 and authenticat\$5) and (pric\$5 or fee) or ((((content adj provider\$1) and ceittficat\$5) and account\$4) and distribut\$5 adj key\$1] and account\$4 with information) and discount\$4) and month\$5 near4 rate ((((((((content adj provider\$1) and ((distribut\$5) and (pric\$5 or fee)) or (((((content adj provider\$1) and ((distribut\$5) and (pric\$5 or fee)) or (((((content adj provider\$1) and ((pric\$5 or fee)) or (((((content adj provider\$1) and ((pric\$5 or fee)) or (((((content adj provider\$1) and ((pric\$5 or fee)) or (((((content adj provider\$1) and ((distribut\$5) and account\$4) and profit (((((content adj provider\$1) and ((((((((((content adj provider\$1) and provider\$1) and (((((((((((((((((((((((((((((((((((
Information and discounts4 O ((((((((((c)) ((c)) content adj provider\$1) and ((distribut\$5 near5 key\$1) and regist\$6) and (pric\$5 or fee)) or (((((content adj) provider\$1) and account\$4) and distribut\$5 adj key\$1] and addistribut\$5 adj key\$1] and account\$4) and information and discount\$4] and month\$5 near4 rate C((((((content adj) provider\$1) and (distribut\$5) and (pric\$5 or fee)) or ((((content adj) provider\$1) and account\$4) and distribut\$5 adj key\$1] and account\$4] and distribut\$5 adj key\$1] and account\$4] and distribut\$5 adj key\$1] and account\$4] and profit 1623319; nn. USPAT 2004/07/02 15:40 USPAT 2004/07/21 19:01 ((information adj processing).ti.) and certificat\$5) and account\$4] and profit 1623319; nn. USPAT 2004/07/21 19:01 ((information adj processing).ti.) and certificat\$5] ((information adj processing).ti.) and certificat\$6] (information adj process					
Information and discounts4 O ((((((((((c)) ((c)) content adj provider\$1) and ((distribut\$5 near5 key\$1) and regist\$6) and (pric\$5 or fee)) or (((((content adj) provider\$1) and account\$4) and distribut\$5 adj key\$1] and addistribut\$5 adj key\$1] and account\$4) and information and discount\$4] and month\$5 near4 rate C((((((content adj) provider\$1) and (distribut\$5) and (pric\$5 or fee)) or ((((content adj) provider\$1) and account\$4) and distribut\$5 adj key\$1] and account\$4] and distribut\$5 adj key\$1] and account\$4] and distribut\$5 adj key\$1] and account\$4] and profit 1623319; nn. USPAT 2004/07/02 15:40 USPAT 2004/07/21 19:01 ((information adj processing).ti.) and certificat\$5) and account\$4] and profit 1623319; nn. USPAT 2004/07/21 19:01 ((information adj processing).ti.) and certificat\$5] ((information adj processing).ti.) and certificat\$6] (information adj process			certificat\$5) and account\$4 with		
-					
(distribut§5 near5 key\$1) and regist\$6) and encrypt§5 and authenticat\$5) and (pric\$5 or fee) or ((((content adj) provider\$1) and account\$4) and distribut\$5 adj key\$1] and add19981001)) and certificat\$5) and account\$4) and month\$5 near4 rate - 22 ((((((content adj provider\$1) and (distribut\$5 adj key\$1) and regist\$6) and encrypt\$5 and authenticat\$5) and (pric\$5 or fee) or ((((content adj) provider\$1) and account\$4) and month\$5 near4 rate - 22 ((((((content adj provider\$1) and (pric\$5 or fee) or ((((content adj) provider\$1) and account\$4) and month\$5 adj key\$1] and eactor\$10 and distribut\$5 adj key\$1] and eactor\$10 and distribut\$5 adj key\$1] and eacount\$4] and profit information and informatio	_	ا ۱		HSPAT	2004/07/02 15:37
and encrypt55 and authenticat55 and (pric\$5 or fee) or ((((content adj provider\$1) and account\$4) and distribut\$5 adj key\$1] and @act1991001) and certificat\$5) and account\$4 with information) and discount\$41 and month\$5 near4 rate ((((((((content adj provider\$1) and (distribut\$5 near5 key\$1) and regist\$6) and encrypt55 and authenticat\$5) and (pric\$5 or fee) or ((((content adj provider\$1) and account\$4) and distribut\$5 adj key\$1] and @adx19981001)) and certificat\$5 and account\$4 with information) and discount\$4) and distribut\$5 adj key\$1] and @adx19981001) and certificat\$5 and account\$4 with information and processing).ti. USPAT 2004/07/21 19:06 1710 (information adj processing).ti.) and encryption adj key ((information adj processing).ti.) and encryption adj key and decrypt\$6 request\$4 adj key uspar 2004/07/21 19:07 110 request\$4 adj (decryption or decod\$5 or USPAT; USPACPUB; EFO; JFO; DERWENT; IBM TDB USPAT; USP-CPUB; EFO; JFO; D				ODIAL	2004/07/02 13.37
(pric\$5 or fee) or ((((content adj provider\$1) and account\$4) and distribut\$5 adj key\$1) and @add19981001) and certificat\$5) and account\$4 with information) and discount\$4) and month\$5 near4 rate ((((((((content adj provider\$1) and ((distribut\$5 near5 key\$1) and regist\$6) and encrypt\$5 and authenticat\$5) and account\$4 (pric\$5 or fee)) or (((content adj provider\$1) and (pric\$5 or fee)) or (((content adj provider\$1) and ecrtificat\$5) and account\$4) and profit (information) and discount\$4) and profit (25319).pn. ((information adj processing).ti. ((information adj processing).ti.) and encryption adj key ((information adj processing).ti.) and (information adj processing).ti.) and encryption adj key ((information adj processing).ti.) and encryption adj key ((information adj processing).ti.) and (information adj processing).ti.) and encryption adj key ((information adj processing).ti.) and (information adj processing).ti.) and encryption adj key ((information adj processing).ti.) and encryption adj key ((information adj processing).ti.) and (information adj processing).ti.) and encryption adj key ((information adj processing).ti.) uspa? (information adj processing).ti.) uspa? (information adj processing).ti.) uspa? (information adj processing).ti.) uspa? (information adj proce					
provider\$1) and account\$4) and distribut\$5 adj key\$1 and @acd19981001) and certificat\$5) and account\$4 with information and discount\$4) and month\$5 near4 rate ((((((((content adj provider\$1) and (distribut\$5 near5 key\$1) and regist\$6) and encrypt\$5 and authenticat\$5) and (pric\$5 or fee) or ((((content adj provider\$1) and eartificat\$5) and account\$4) and provider\$1 and eartificat\$5) and account\$4) and provider\$1 and eartificat\$5) and account\$4) and profit account\$4] account\$4] and profit account\$4] account\$4					
adj key\$1) and @adc19981001) and certificat\$5) and account\$4 with information) and discount\$4) and month\$5 near4 rate ((((((((content adj provider\$1) and (pric\$5 or fee)) or ((((content adj provider\$1) and (pric\$5 or fee)) or ((((content adj provider\$1) and (pric\$5 or decipher\$6) and account\$4) and distribut\$5 adj key\$1) and eactypt\$5 and account\$4 with information and account\$4 with information and processing).ti. USPAT 2004/07/02 15:40 USPAT USPAT 2004/07/02 15:40 USPAT USPAT USPAT 2004/07/02 15:40 USPAT US					
adj key\$1) and @adc19981001) and certificat\$5) and account\$4 with information) and discount\$4) and month\$5 near4 rate ((((((((content adj provider\$1) and (pric\$5 or fee)) or ((((content adj provider\$1) and (pric\$5 or fee)) or ((((content adj provider\$1) and (pric\$5 or decipher\$6) and account\$4) and distribut\$5 adj key\$1) and eactypt\$5 and account\$4 with information and account\$4 with information and processing).ti. USPAT 2004/07/02 15:40 USPAT USPAT 2004/07/02 15:40 USPAT USPAT USPAT 2004/07/02 15:40 USPAT US					
certificats(5) and account(4) with information) and discount(4) and month(5) near4 rate (((((((content adj provider(1) and (distribut(5) near5 key(1) and regist(6) and encrypt(5) and authenticat(5) and (pric(5) or fee)) or ((((content adj provider(5)) and (pric(5) or fee)) or ((((content adj provider(6)) and (pric(5) adj key(1) and account(6)) and distribut(5) adj key(1) and account(6) and distribut(5) adj key(1) and account(6) and distribut(6) adj key(1) and account(6) and proc(6) and account(6) and provider(7) and certificat(5) and account(6) and prof(1) and certificat(6) and account(6) and proc(6) and certificat(6) and certificat(6) and account(6) and certificat(6) and					
Information and discount\$4) and month\$5 near4 rate ((((((((content adj provider\$1) and (distribut\$5 near5 key\$1) and regist\$6) and encrypt\$5 and authenticat\$5) and (pric\$5 or feel) or ((((content adj provider\$1) and distribut\$5 adj key\$1) and dad<19981001)) and certificat\$5) and account\$4 with information and discount\$4 with information and processing).ti. USPAT 2004/07/21 19:01 USPAT 2004/07/21 19:12 USPAT USPAT 2004/07/21 19:12 USPAT 2004/07/21 19:25 USPAT 2004/07/21 19:26 USPAT 2004/07/21 19:32 USPAT 2004/07/21 19:32 USPAT 2004/07/21 19:32 USPAT		[
near4 rate		[
Company Comp					
(distribut\$5 near5 key\$1) and regist\$6) and encrypt\$5 and authenticat\$5) and (pric\$5 or fee)) or ((((content adj) provider\$1) and account\$4) and distribut\$5 adj key\$1) and @ad<19981001)) and certificat\$5) and account\$4 with information adj brocessing).ti.	1				0004/05/55 55
and encrypt\$5 and authenticat\$5) and (pric\$5 or fee) or ((((content adj provider\$1) and account\$4) and distribut\$5 adj key\$1) and eac 1	-	22		USPAT	2004/07/02 15:40
(pric\$5 or fee) or ((((content adj provider\$1) and account\$4) and distribut\$5 adj key\$1) and @ad<19981001)) and certificat\$5) and account\$4 with information) and discount\$4\) and profit [253193.pn. (information adj processing).ti. USPAT 2004/07/21 19:01 19:01 ((information adj processing).ti.) and encryption adj key (((information adj processing).ti.) and encryption adj key (((information adj processing).ti.) and encryption adj key ((information adj processing).ti.) and encryption adj key and decrypt\$6 request\$4 adj key USPAT 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21					
(pric\$5 or fee) or ((((content adj provider\$1) and account\$4) and distribut\$5 adj key\$1) and @ad<19981001)) and certificat\$5) and account\$4 with information) and discount\$4\) and profit [253193.pn. (information adj processing).ti. USPAT 2004/07/21 19:01 19:01 ((information adj processing).ti.) and encryption adj key (((information adj processing).ti.) and encryption adj key (((information adj processing).ti.) and encryption adj key ((information adj processing).ti.) and encryption adj key and decrypt\$6 request\$4 adj key USPAT 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:17 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:25 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21 19:26 2004/07/21					
provider\$1) and account\$4 and distribut\$5 adj key\$1) and \$\frac{account\$4}{account\$4}\$ with information and discount\$4] and profit (253193.pn. (information adj processing).ti.) and encryption adj processing).ti.) and encryption adj key (i((information adj processing).ti.) and encryption adj key) and decrypt\$6	1				
adj key\$1) and @ad<19981001)) and certificat\$5) and account\$4 with information) and discount\$4 with information) and discount\$4 and profit (323193.pn. (information adj processing).ti.) and encryption adj key ((information adj processing).ti.) and (information adj processing).ti.) and encryption adj key ((information adj processing).ti.) and encryption adj key (information adj processing).ti.) and encryption adj encr			provider(1) and account(4) and distribut(5)		<u> </u>
certificat\$5) and account\$4 with information) and discount\$4 and profit 1625193.pn. 1710 (information adj processing).ti. uspat 2004/07/21 19:01 2004/07/21 19:01 2004/07/21 19:01 2004/07/21 19:01 2004/07/21 19:01 2004/07/21 19:01 2004/07/21 19:01 2004/07/21 19:01 2004/07/21 19:01 2004/07/21 19:01 2004/07/21 19:01 2004/07/21 19:01 2004/07/21 19:01 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:12 2004/07/21 19:13 2004/07/21 19:13 2004/07/21 19:13 2004/07/21 19:13 2004/07/21 19:25 2004/07/21 19:26 2004/0					
Information and discount\$4) and profit G253193.pn. G253193.pn. USPAT 2004/07/02 15:40 USPAT USPAT 2004/07/02 15:40 USPAT USPAT 2004/07/02 15:40 USPAT USPAT 2004/07/02 15:40 USPAT USPAT USPAT 2004/07/02 15:40 USPAT USP					
1					
1710					
1710	-	1	6253193.pn.	USPAT	2004/07/02 15:40
- 19 ((information adj processing).ti.) and encryption adj key (((information adj processing).ti.) and encryption adj key (((information adj processing).ti.) and encryption adj key and decrypt\$6 - 717	-	1710	(information adj processing).ti.	USPAT	2004/07/21 19:01
- encryption adj key (((information adj processing).ti.) and encryption adj key) - 717 request\$4 adj key request\$4 adj second adj key USPAT 2004/07/21 19:12 2004/07/21 19:17 decipher\$6) adj key USPAT USPAT 2004/07/21 19:17 USPAT; USPAUX	_				
- 15 (((information adj processing).ti.) and encryption adj key) and decrypt\$6 request\$4 adj key request\$4 adj second adj key request\$4 adj second adj key request\$4 adj (decryption or decod\$5 or decipher\$6) adj key - 44 (request\$4 adj (decryption or decod\$5 or decipher\$6) adj key) and @ay<2000 - 44 (request\$4 adj (decryption or decod\$5 or decipher\$6) adj key) and @ay<2000 - 1044 request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7) - 18647408 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) @ay<2000 - 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) @ay<2000 - 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 and decod\$6 or deciph\$7) - 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 and decod\$6 or deciph\$7); - 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 and decod\$6 or deciph\$7); - 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 and decod\$6 or deciph\$7); - 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 and decod\$6 or deciph\$7); - 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 and decod\$6 or deciph\$7); - 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 and decod\$6 or deciph\$7); - 115 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 and decod\$6 or deciph\$7); - 115 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 and decod\$6 or deciph\$7); - 115 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 and decod\$6 or deciph\$7); - 115 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 and decod\$6 or deciph\$7);				332.11	
<pre>-</pre>		1.5		HCDAM	2004/07/01 10:10
- 1717 request\$4 adj key 12 request\$4 adj key 110 request\$4 adj second adj key 110 request\$4 adj (decryption or decod\$5 or decipher\$6) adj key - 44 (request\$4 adj (decryption or decod\$5 or decipher\$6) adj key - 44 (request\$4 adj (decryption or decod\$5 or decipher\$6) adj key) and @ay<2000 - 1044 request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7) - 18647408 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) @ay<2000 - 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) @ay<2000 - 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 438 (request near10 key near10 (decrypt\$7) or decod\$6 or deciph\$7)) and @ay<2000 - 438 (request near10 key near10 (decrypt\$7) or decod\$6 or deciph\$7) or decod\$6 or deciph\$7)	-	15		USPAT	2004/07/21 19:12
12			encryption adj key) and decrypt\$6		
110 request\$4 adj (decryption or decod\$5 or decipher\$6) adj key	-	717	request\$4 adj key	USPAT	
110 request\$4 adj (decryption or decod\$5 or decipher\$6) adj key	-	12	request\$4 adj second adj key	USPAT	2004/07/21 19:17
decipher\$6) adj key	-	110	request\$4 adi (decryption or decod\$5 or	USPAT:	2004/07/21 19:17
A4				The state of the s	
DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT;			accipilation and not		
- 44 (request\$4 adj (decryption or decod\$5 or decipher\$6) adj key) and @ay<2000					
- 44 (request\$4 adj (decryption or decod\$5 or decipher\$6) adj key) and @ay<2000 - 1044 request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7) - 18647408 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) @ay<2000 - 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 15 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 15 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 16 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 17 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 and (something or billing) - 18 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000) and (something or billing) - 18 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000) and (something or billing)				i i	
decipher\$6) adj key) and @ay<2000				_	l
decipher\$6) adj key) and @ay<2000	-	44	(request\$4 adj (decryption or decod\$5 or	USPAT;	2004/07/21 19:25
Total Property February Feb			decipher\$6) adj key) and @ay<2000	US-PGPUB;	
- 1044 request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7) - 18647408 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) @ay<2000 - 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000) - 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000) and (accounting or billing) - 115 (DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 1044 request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7) - 18647408 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) @ay<2000 - 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000) and (accounting or billing) - 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000) and (accounting or billing) - 115 (Decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000) and (accounting or billing) - 115 (Decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000) and (accounting or billing)					
- 1044 request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7) - 18647408 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) @ay<2000 - 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 15 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 15 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000) and (ay<2000) DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; DECOMPTED USPAT; US-PGPUB; EPO; JPO; DERWENT;					
decod\$6 or deciph\$7)		1044			2004/07/01 10:05
- 18647408 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) @ay<2000 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPA	-	1044	request near10 key near10 (decrypt\$5 or		2004/0//21 19:25
- 18647408 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) @ay<2000 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;			decod\$6 or deciph\$7)		
- 18647408 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) @ay<2000 IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPACEUB; EPO; JPO; DERWENT;				EPO; JPO;	
- 18647408 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) @ay<2000 IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPACEUB; EPO; JPO; DERWENT;	1			DERWENT;	
- 18647408 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) @ay<2000 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; decod\$6 or deciph\$7)) and @ay<2000 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPA					
decod\$6 or deciph\$7)) @ay<2000 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	l _	18647400	(request hear10 key hear10 (decrunt\$5 ar		2004/07/21 10.26
- 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;		1203,400			2004,07,21 19.20
- 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;			decoding of decibition () add/5000		
- 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000) and (accounting or billing) IBM_TDB					
- 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000) and (accounting or billing) 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000) and (accounting or billing) 2004/07/21 19:26 USPAT; US-PGPUB; EPO; JPO; DERWENT;					
- 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000 - 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000) and (accounting or billing) 438 (request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000) and (accounting or billing) 2004/07/21 19:26 USPAT; US-PGPUB; EPO; JPO; DERWENT;				IBM TDB	
decod\$6 or deciph\$7)) and @ay<2000 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; decod\$6 or deciph\$7)) and @ay<2000) and decod\$6 or deciph\$7)) and @ay<2000) and (accounting or billing) US-PGPUB; US-PGPUB; EPO; JPO; DERWENT;	-	438	(request near10 key near10 (decrypt\$5 or		2004/07/21 19:26
- 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000) and US-PGPUB; (accounting or billing) EPO; JPO; DERWENT;				· ·	
- 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000) and (accounting or billing) DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;			accourt of acceptivity and edy-2000		
- 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000) and (accounting or billing) IBM_TDB USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT;					
- 115 ((request near10 key near10 (decrypt\$5 or decod\$6 or deciph\$7)) and @ay<2000) and US-PGPUB; EPO; JPO; DERWENT;]
decod\$6 or deciph\$7)) and @ay<2000) and US-PGPUB; EPO; JPO; DERWENT;	1				
decod\$6 or deciph\$7)) and @ay<2000) and US-PGPUB; EPO; JPO; DERWENT;	-	115	((request near10 key near10 (decrypt\$5 or	USPĀT;	2004/07/21 19:32
(accounting or billing) EPO; JPO; DERWENT;		1		· ·	
DERWENT;]
			(40004119 02 0222219/		
IBM TDB					
		<u> </u>		TRW LDR	

-	2	20020073038.pn.	USPAT;	2004/07/21 19:33
			US-PGPUB;	
			EPO; JPO;	
]			DERWENT;	
	!		IBM_TDB	
-	2	20020073038.pn. and key	USPAT;	2004/07/21 19:44
			US-PGPUB;	
			EPO; JPO;	
		, and the second	DERWENT;	
			IBM TDB	
-	10	(accounting or billing or (financial adj	USPAT;	2004/07/21 19:49
		managment)) near10 request\$4 near4 key	US-PGPUB;	
	}	near4 (encrypt\$ or enciph\$5 or encod\$ or	EPO; JPO;	
		decod\$6 or decrypt\$6 or deciph\$7)	DERWENT;	
			IBM TDB	
_	1	((accounting or billing or (financial adj	USPAT;	2004/07/21 19:47
	[managment)) near10 request\$4 near4 key	US-PGPUB;	
		near4 (encrypt\$ or enciph\$5 or encod\$ or	EPO; JPO;	
		decod\$6 or decrypt\$6 or deciph\$7)) and	DERWENT;	
!		@ad<20000801	IBM TDB	
_	90	accounting adj system and encryption adj	USPĀT;	2004/07/21 20:02
		key	US-PGPUB;	222, 31, 22 20.02
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	
_	49	 (accounting adj system and encryption adj	USPAT;	2004/07/21 19:50
-	49	key) and @ay<2000	US-PGPUB;	2004/07/21 19.50
i		key/ and eay<2000	EPO; JPO;	
			· ·	
			DERWENT;	
	0	saccounting add souther with appropriation add	IBM_TDB	2004/07/21 20:03
] -	١	accounting adj system with encryption adj	USPAT;	2004/07/21 20:03
		key	US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	10	accounting adj system same encryption adj	USPAT;	2004/07/21 20:03
		key	US-PGPUB;	
İ			EPO; JPO;	•
			DERWENT;	
			IBM_TDB	
-	9	(accounting adj system same encryption adj	USPĀT;	2004/07/21 20:03
		key) and @ad<20000801	US-PGPUB;	
			EPO; JPO;	
	ļ		DERWENT;	
	i		IBM_TDB	
-		6574609.pn.	USPAT	2004/07/22 10:17
-	931604	6574609.pn. and decrypt\$6 near\$4 key near5	USPAT	2004/07/22 10:19
	ļ	request\$6		
-	. 1	6574609.pn. and (decrypt\$6 near\$4 key	USPAT	2004/07/22 10:21
	1	near5 request\$6)		
-	0	6574609.pn. and (key adj decrypt\$6 adj	USPAT	2004/07/22 10:22
	1	key near5 request\$6)		
-	0	6574609.pn. and (key adj decrypt\$6 adj	USPAT	2004/07/22 10:22
l	1	key same request\$6)		
-	0	6574609.pn. and (key adj decrypt\$6 adj	USPAT	2004/07/22 10:23
		key)		
-	1	6574609.pn. and second adj (encrypt\$6 or	USPAT	2004/07/22 10:33
		decrypt\$6) adj key		ļ
-	0	(send or transmit\$5 or request\$5 or	USPAT;	2004/07/22 10:35
		receiv\$6) near3 (first adj "and" adj	US-PGPUB;	
		second) near3 key	EPO; JPO;	
		,	DERWENT;	İ
			IBM TDB	
_	l 0	(send or transmit\$5 or request\$5 or	USPĀT;	2004/07/22 10:36
	l	receiv\$6) near5 (first adj "and" adj	US-PGPUB;	=====================================
		second) near3 key	EPO; JPO;	l
		land was not	DERWENT;	
			IBM TDB	
L	<u> </u>		םמו נומד	

- 0 (send or transmit\$5 or request\$5 or USPAT;	2004/07/22 10:36
receiv\$6) adj (first adj "and" adj second) US-PGPU adj key EPO; JP	
DERWENT	- · .
IBM TDB	
- 166 (send or sent or transmit\$5 or request\$5 USPAT;	2004/07/22 10:45
or receiv\$6) adj (first near3 second near3 US-PGPU	
key) EPO; JP	
DERWENT	
IBM_TDB - 53 ((send or sent or transmit\$5 or request\$5 USPAT;	2004/07/22 10:39
or receiv\$6) adj (first near3 second near3 US-PGPU	
key)) and authentication EPO; JP	
DERWENT	· ·
IBM_TDB	
- 14 (((send or sent or transmit\$5 or request\$5 USPAT;	2004/07/22 10:40
or receiv\$6) adj (first near3 second near3 US-PGPU	*
key)) and authentication) and usage EPO; JP	
DERWENT IBM TDB	•
- 5 ((((send or sent or transmit\$5 or USPAT;	2004/07/22 10:40
request\$5 or receiv\$6) adj (first near3 US-PGPU	· · · · · · · · · · · · · · · · · · ·
second near3 key)) and authentication) and EPO; JP	· 1
usage) and @ad<20000801 DERWENT	·
IBM_TDB	
- 0 (send or sent or transmit\$5 or transfer\$5 USPAT; or request\$5 or receiv\$6) adj key adj US-PGPU	2004/07/22 10:45
or request\$5 or receiv\$6) adj key adj US-PGPU (encrypt\$5 or enciph\$6 or encod\$5) adj key EPO; JP	· 1
DERWENT	
IBM TDB	•
- 2391 (send or sent or transmit\$5 or request\$5 USPAT;	2004/07/22 12:29
or receiv\$6) near3 encryption near3 key US-PGPU	· ·
EPO; JP	
DERWENT THE TRUE TO THE TRUE TRUE TO THE TRUE TO THE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRU	
IBM_TDB USPAT;	2004/07/22 11:05
or receiv\$6) near3 key adj encryption adj US-PGPU	
key EPO; JP	1
DERWENT	;
IBM_TDB	
- 1395 (catv or cable or television) near10 USPAT;	2004/07/22 11:12
(subscriber\$1 or channel or program) US-PGPU	
near10 key\$1 EPO; JP	
IBM TDB	
- 779 ((catv or cable or television) near10 USPAT;	2004/07/22 11:08
(subscriber\$1 or channel or program) US-PGPU	·
near10 key\$1) and (encrypt\$5 or decrypt\$5 EPO; JP	1
or encod\$6 or decod\$6 or enciph\$7 or DERWENT	·
deciph\$6) - 224 (((catv or cable or television) near10 USPAT;	2004/07/22 11:09
(subscriber\$1 or channel or program) US-PGPU	1
near10 key\$1) and (encrypt\$5 or decrypt\$5 EPO; JP	
or encod\$6 or decod\$6 or enciph\$7 or DERWENT	i
deciph\$6)) and (billing or accounting or IBM_TDB	
(charge with usage\$1)) - 28 (((catv or cable or television) near10 USPAT;	2004/07/22 11:09
- 28 ((((catv or cable or television) near10 USPAT; (subscriber\$1 or channel or program) US-PGPU	
near10 key\$1) and (encrypt\$5 or decrypt\$5 EPO; JP	
or encod\$6 or decod\$6 or enciph\$7 or DERWENT	l l
deciph\$6)) and (billing or accounting or IBM_TDB	
(charge with usage\$1))) and authentication	0004/07/00 11 11
- 10 (((((catv or cable or television) near10 USPAT;	2004/07/22 11:11
(subscriber\$1 or channel or program) US-PGPU near10 key\$1) and (encrypt\$5 or decrypt\$5 EPO; JP	,
or encod\$6 or decod\$6 or enciph\$7 or DERWENT	l l
deciph\$6)) and (billing or accounting or IBM TDB	i i
(charge with usage\$1))) and	
authentication) and @ad<20000801	l .

-	19	(catv or cable or television) near10	USPAT;	2004/07/22 12:27
		(subscriber\$1 and channel and program) near10 key\$1	US-PGPUB; EPO; JPO;	
		neario keyşi	DERWENT;	
1			IBM TDB	
-	16	((catv or cable or television) near10	USPAT;	2004/07/22 11:18
		(subscriber\$1 and channel and program)	US-PGPUB;	
		near10 key\$1) and @ad<20000801	EPO; JPO;	
			DERWENT;	
1_	13	("4658292" "4712238" "6460137" "6594758"	IBM_TDB USPAT;	2004/07/22 12:43
	13	"5642420" "5642420" "6067121").pn. and	US-PGPUB;	2004/07/22 12.43
		key\$1	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	13	(("4658292" "4712238" "6460137" "6594758"	USPAT;	2004/07/22 11:21
	j l	"5642420" "5642420" "6067121").pn. and key\$1) and @ad<20000801	US-PGPUB; EPO; JPO;	
		keyşi) and ead\20000001	DERWENT;	
			IBM TDB	
_	0	(catv or cable or television) near10	USPAT;	2004/07/22 12:28
		(subscriber\$1 and channel and program) adj	US-PGPUB;	
		key\$1	EPO; JPO;	
			DERWENT; IBM TDB	
_	1649	(catv or cable or television) near10 keys	USPAT;	2004/07/22 12:40
		, and the same of	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	,	//	IBM_TDB USPAT;	2004/07/22 12:29
_	1	((catv or cable or television) near10 keys) and subscribers near3 channel near3	US-PGPUB;	2004/01/22 12:29
		program	EPO; JPO;	
		F3	DERWENT;	
•			IBM_TDB	
-	1	(send or sent or transmit\$5 or request\$5	USPAT;	2004/07/22 12:31
		or receiv\$6 or transfer\$5) near3 (program adj key) near3 keys	US-PGPUB; EPO; JPO;	
		adj key) nears keys	DERWENT;	
			IBM TDB	
_	1	(send or sent or transmit\$5 or request\$5	USPAT;	2004/07/22 12:32
		or receiv\$6 or transfer\$5) same	US-PGPUB;	
		(subscriber adj key and program adj key)	EPO; JPO; DERWENT;	
		and keys	IBM TDB	
-	74	(send or sent or transmit\$5 or request\$5	USPAT;	2004/07/22 12:33
		or receiv\$6 or transfer\$5) same keys same	US-PGPUB;	
		catv	EPO; JPO;	
			DERWENT; IBM TDB	
_		((send or sent or transmit\$5 or request\$5	USPAT;	2004/07/22 12:34
	1	or receiv\$6 or transfer\$5) same keys same	US-PGPUB;	= = = = = = = = = = = = = = = = = = =
		catv) and @ad<2000801	EPO; JPO;	
			DERWENT;	
	10005	/	IBM_TDB	2004/07/22 10:26
-	19805		USPAT; US-PGPUB;	2004/07/22 12:36
		receiv\$6) near10 keys	EPO; JPO;	
			DERWENT;	
			IBM_TDB	•
-	411		USPAT;	2004/07/22 12:38
		receiv\$6) near10 key\$1 near10 "and"	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	359		USPĀT;	2004/07/22 12:38
		receiv\$6) near10 key\$1 near10 "and") and	US-PGPUB;	
		@ay<2000	EPO; JPO;	
			DERWENT; IBM TDB	
	L		TDE IDD	l

-	39		USPAT;	2004/07/22 12:39
		receiv\$6) near10 keys near10 "and"	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	37	, , ,	USPAT;	2004/07/22 12:40
		receiv\$6) near10 keys near10 "and") and	US-PGPUB;	
		@ad<20000801	EPO; JPO;	
			DERWENT;	
	1166	saturand kays	IBM_TDB	2004/07/00 10 45
-	1166	catv and keys	USPAT; US-PGPUB;	2004/07/22 12:45
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	893	(catv and keys) and (encrypt\$6 or encod\$6	USPAT;	2004/07/22 12:46
		or enciph\$7 or decrypt\$7 or deciph\$7 or	US-PGPUB;	
		decod\$6)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	579	((catv and keys) and (encrypt\$6 or encod\$6	USPĀT;	2004/07/22 12:53
		or enciph\$7 or decrypt\$7 or deciph\$7 or	US-PGPUB;	
	I .	decod\$6)) and @ad<20000801	EPO; JPO;	
	'		DERWENT;	
			IBM_TDB	
-	1323720	(((catv and keys) and (encrypt\$6 or	USPAT;	2004/07/22 12:54
		encod\$6 or enciph\$7 or decrypt\$7 or	US-PGPUB;	
		deciph\$7 or decod\$6)) and @ad<20000801)	EPO; JPO;	
		and usage or charg\$5	DERWENT; IBM TDB	
_	159	(((catv and keys) and (encrypt\$6 or	USPAT;	2004/07/22 13:23
Ì	1	encod\$6 or enciph\$7 or decrypt\$7 or	US-PGPUB;	2001,01,22 10120
		deciph\$7 or decod\$6)) and @ad<20000801)	EPO; JPO;	
		and (accounting or billing) and (usage or	DERWENT;	
		charg\$5)	IBM TDB	
-	71	((((catv and keys) and (encrypt\$6 or	USPAT;	2004/07/22 13:24
		encod\$6 or enciph\$7 or decrypt\$7 or	US-PGPUB;	
		deciph\$7 or decod\$6)) and @ad<20000801)	EPO; JPO;	
		and (accounting or billing) and (usage or	DERWENT;	
		charg\$5)) and (transfer\$5 or transmi\$8 or	IBM_TDB	
	36	send or sent or receiv\$6) near10 keys ((((catv and keys) and (encrypt\$6 or	USPAT;	2004/07/22 13:44
-] 30	encod\$6 or enciph\$7 or decrypt\$7 or	US-PGPUB;	2004/07/22 13.44
		deciph\$7 or decod\$6)) and @ad<20000801)	EPO; JPO;	
		and (accounting or billing) and (usage or	DERWENT;	1
		charg\$5)) and (transfer\$5 or transmi\$8 or	IBM TDB	
		send or sent or receiv\$6) near10 keys) and	_	
		request\$5 near10 key		1
-	2	1 1 3 31 3	USPAT;	2004/07/22 14:21
		key)	US-PGPUB;	
	}		EPO; JPO;	
			DERWENT;	
		20020056000	IBM_TDB	2004/07/22 14:22
	1 1	•	US-PGPUB US-PGPUB	2004/07/22 14:22 2004/07/22 14:38
		20020056099.pn. and keys 6574609.pn.	US-PGPUB US-PGPUB	2004/07/22 14:38
_	1	6574609.pn. and (key adj encryption)	USPAT	2004/07/22 14:30
-	Ō	6574609.pn. and (second adj encryption adj	USPAT	2004/07/22 14:41
	1	key)	1	
-	1	6574609.pn. and second	USPAT	2004/07/22 14:41
-	0	retransmit\$6 near5 key adj encryption adj	USPAT	2004/07/22 16:55
_	_	key	HCDAM	2004/07/22 16:57
-	0	(transmit\$6 or request\$6 or re\$1transmit\$6 or re\$1transfer\$6 or transfer\$6) near5 key	USPAT	2004/07/22 16:57
	1	adj encryption adj key		
-	17466	(transmit\$6 or request\$6 or re\$1transmit\$6	USPAT	2004/07/22 16:58
i		or re\$1transfer\$6 or transfer\$6) near5 key		
-	167	(transmit\$6 or request\$6 or re\$1transmit\$6	USPAT	2004/07/22 17:00
		or re\$1transfer\$6 or transfer\$6) near5		
	1	(key adj (encod\$6 or decod\$7 or enciph\$7	I	I
1		or deciph\$7))		

-	163	((transmit\$6 or request\$6 or	USPAT	2004/07/22 17:12
		re\$1transmit\$6 or re\$1transfer\$6 or transfer\$6) near5 (key adj (encod\$6 or		
		decod\$7 or enciph\$7 or deciph\$7))) and		
		@ad<20000801		
-	0	re\$1transmi\$7 near3 (key adj (encod\$8 or	USPAT	2004/07/22 17:14
		decod\$6 or encrypt\$7 or decrypt\$7 or		
	_	encipher\$6 or decipher\$6) adj key)		
-	9		USPAT;	2004/07/22 17:14
		encrypt\$7 or decrypt\$7 or encipher\$6 or	US-PGPUB;	
		decipher\$6) adj key	EPO; JPO; DERWENT;	
			IBM TDB	
_	l 0	re\$1transmi\$7 near3 key adj (encod\$8 or	USPAT;	2004/07/22 17:14
		decod\$6 or encrypt\$7 or decrypt\$7 or	US-PGPUB;	
		encipher\$6 or decipher\$6) adj key	EPO; JPO;	
			DERWENT;	
		145 145 146 1 146	IBM_TDB	
-	9	re\$1transmi\$7 near3 (encod\$8 or decod\$6 or	USPAT;	2004/07/22 17:16
		<pre>encrypt\$7 or decrypt\$7 or encipher\$6 or decipher\$6) adj key</pre>	US-PGPUB; EPO; JPO;	
		decipherso, adj key	DERWENT;	
			IBM TDB	
_	5		USPAT;	2004/07/22 17:20
		or encrypt\$7 or decrypt\$7 or encipher\$6 or	US-PGPUB;	
		decipher\$6) adj key) and @ad<20000801	EPO; JPO;	
			DERWENT;	
l _	0	6704419.pn. and key adj encryption adj key	IBM_TDB USPAT;	2004/07/22 17:22
-		oroganis.ph. and key adj encryption adj key	US-PGPUB;	2004/01/22 11.22
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	6636551.pn. and code	USPAT;	2004/07/22 17:24
			US-PGPUB; EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
_	183	(transfer\$6 or request\$6 or receiv\$7 or	USPĀT;	2004/07/22 17:27
	1	transmit\$6 or send or sent) near3 (key adj	US-PGPUB;	
		(encrypt\$6 or encipher\$6 or encod\$6 or	EPO; JPO;	
		decrypt\$7 or decipher\$7 or decod\$7) adj	DERWENT; IBM TDB	
_	94	key) ((transfer\$6 or request\$6 or receiv\$7 or	USPAT;	2004/07/22 19:20
		transmit\$6 or send or sent) near3 (key adj	US-PGPUB;	
		(encrypt\$6 or encipher\$6 or encod\$6 or	EPO; JPO;	
		decrypt\$7 or decipher\$7 or decod\$7) adj	DERWENT;	
	100	key)) and @ad<20000801	IBM_TDB	2004/07/20 17 10
_	108	(re\$1transfer\$6 or request\$6 or receiv\$7	USPAT;	2004/07/22 17:42
		or re\$1transmit\$6 or re\$1send or re\$1sent) near3 (key adj (encrypt\$6 or encipher\$6 or	US-PGPUB; EPO; JPO;	
		encod\$6 or decrypt\$7 or decipher\$7 or	DERWENT;	
		decod\$7) adj key)	IBM_TDB	
-	53	((re\$1transfer\$6 or request\$6 or receiv\$7	USPĀT;	2004/07/22 18:10
		or re\$1transmit\$6 or re\$1send or re\$1sent)	US-PGPUB;	
		near3 (key adj (encrypt\$6 or encipher\$6 or	EPO; JPO;	
		encod\$6 or decrypt\$7 or decipher\$7 or	DERWENT; IBM TDB	
_	0	decod\$7) adj key)) and @ad<20000801 (re\$1transfer\$6 or re\$1transmit\$6 or	USPAT;	2004/07/22 18:35
	1	re\$1send or re\$1sent) near3 (key adj	US-PGPUB;	2001,01,22 10.00
		(encrypt\$6 or encipher\$6 or encod\$6 or	EPO; JPO;	
	1	decrypt\$7 or decipher\$7 or decod\$7) adj	DERWENT;	
		key)	IBM_TDB	0004/67/55
-	108	(request\$6 or receiv\$6) near3 (key adj	USPAT;	2004/07/22 17:43
		(encrypt\$6 or encipher\$6 or encod\$6 or	US-PGPUB;	
		decrypt\$7 or decipher\$7 or decod\$7) adj key)	EPO; JPO; DERWENT;	
		, no j /	IBM TDB	
	<u> </u>	<u> </u>	_ +	

-	2	6584552.pn.	USPAT;	2004/07/22 18:16
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	550.550	IBM_TDB	0004/07/00 10 05
-	1	6584552.pn. and request near5 receiving	USPAT;	2004/07/22 18:25
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
	53	((request\$6 or receiv\$6) near3 (key adj	USPAT;	2004/07/22 18:34
-	33	(encrypt\$6 or encipher\$6 or encod\$6 or	US-PGPUB;	2004/01/22 18:34
		decrypt\$7 or decipher\$7 or decod\$7) adj	EPO; JPO;	
		key)) and @ad<20000801	DERWENT;	
		,,,	IBM TDB	
-	0	(re\$1transfer\$6 or re\$1transmit\$6 or	USPAT;	2004/07/22 18:35
		re\$1send or re\$1sent) near3 key adj	US-PGPUB;	
		(encrypt\$6 or encipher\$6 or encod\$6 or	EPO; JPO;	
		decrypt\$7 or decipher\$7 or decod\$7) adj	DERWENT;	
		key	IBM_TDB	
-	0	(re\$1transfer\$6 or re\$1transmit\$6 or	USPAT;	2004/07/22 18:37
		re\$1send or re\$1sent) near3 (key adj	US-PGPUB;	
		(encrypt\$6 or encipher\$6 or encod\$6 or	EPO; JPO;	
]		decrypt\$7 or decipher\$7 or decod\$7) adj	DERWENT;	
	2	key) (re\$1transfer\$6 or re\$1transmit\$6 or	<pre>IBM_TDB USPAT;</pre>	2004/07/22 18:37
-		re\$1transfer\$6 or re\$1transmit\$6 or re\$1send or re\$1sent) same (key adj	US-PGPUB;	2004/01/22 10:31
		(encrypt\$6 or encipher\$6 or encod\$6 or	EPO; JPO;	
		decrypt\$7 or decipher\$7 or decod\$7) adj	DERWENT;	
	ĺ	key)	IBM TDB	
_	0	6424717.pn. and further adj key	USPĀT;	2004/07/22 19:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/07/00 10 01
-	0	6424717.pn. and (further adj key)	USPAT;	2004/07/22 19:21
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	0	6424717.pn. and (further\$1key)	USPAT;	2004/07/22 19:21
	Ĭ	olining,	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	0	6424717.pn. and further	USPAT;	2004/07/22 19:21
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT; IBM TDB	
_	_	6424717.pn. and (encrypting near4 further	USPAT;	2004/07/22 19:23
	I	near4 key)	US-PGPUB	
_	n	6424717B1.pn. and (encrypting near4	USPAT;	2004/07/22 19:23
		further near4 key)	US-PGPUB	
_	0		USPAT;	2004/07/22 19:23
	1		US-PGPUB	
-	0	1 -	USPAT	2004/07/22 19:23
-	1	1	USPAT	2004/07/22 19:24
-	0	6424717.pn. and further	USPAT	2004/07/22 19:23
-	1	6424717.pn.	USPAT	2004/07/22 19:24
	1 0	6424717.pn. and key 6424717.pn. and further adj key	USPAT USPAT	2004/07/22 19:25 2004/07/22 19:24
_		6424717.pn. and further adj key 6424717.pn. and further	USPAT	2004/07/22 19:24
_		6424717.pn. and key	USPAT	2004/07/22 19:47
_	1310		USPAT	2004/07/22 19:48
-	1104585		USPAT	2004/07/22 19:48
-	64	(send\$3 or sent or tranfer\$5 or transmi\$6)	USPAT	2004/07/22 19:50
		adj3 (key adj2 encrypt\$4 adj2 key)		
1 -	12384		USPAT	2004/07/22 19:50
-	22	((send\$3 or sent or tranfer\$5 or	USPAT	2004/07/22 20:02
		transmi\$6) adj3 (key adj2 encrypt\$4 adj2		
		key)) and 713/\$.ccls.	<u> </u>	<u> </u>

